

Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl No	Particulars	
1.	Particulars of the Occupier	Medical Officer I/C
	(i) Name of the authorised person (occupier or operator of facility)	Dr. Suprakash Sapaty
	(ii) Name of HCF or CBMWTF	CAC Patna
	(iii) Address for Correspondence	Patna, Keonjhar
	(iv) Address of Facility	CAC Patna Keonjhar
	(v) Tel. No, Fax, No	9439987826
	(vi) E-mail ID	bpmu2.patna@gmail.com
	(vii) URL of Website	
	(viii) GPS coordinates of HCF or CBMWTF	
	(ix) Ownership of HCF or CBMWTF	(State <input checked="" type="checkbox"/> Government or Private or Semi Govt. or any other)
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	Authorisation No.: 5536/SPCB..... valid up to 31.3.23
(xi). Status of Consents under Water Act and Air Act	Valid up to: NA	
2.	Type of Health Care Facility	No. of Beds: 16
	(i) Bedded Hospital	
	(ii) Non-bedded hospital	NA
	(Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	
(iii) License number and its date of expiry	NA	
3.	Details of CBMWTF	
	(i) Number healthcare facilities covered by CBMWTF	
	(ii) No of beds covered by CBMWTF	
	(iii) Installed treatment and disposal capacity of CBMWTF:	_____ Kg per day
(iv) Quantity of biomedical waste treated or disposed by CBMWTF	_____ Kg/day	
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	Yellow Category : 20 kg Red Category : 65 kg White: 2 kg Blue Category : 25 kg General Solid waste: 60 kg
	Details of the Storage, treatment, transportation, processing and Disposal Facility	
	(i) Details of the on-site storage facility	Size : 120 Sq. Ft
		Capacity : 500 Kg
		Provision of on-site storage : (cold storage or any other provision)

disposal facilities		Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum
		Incinerators Plasma Pyrolysis			
		✓ Autoclaves	1	0.3	109.5
		Microwave			
		Hydroclave			
		Shredder			
		✓ Needle tip cutter or destroyer	4	0.1	36.5
		✓ Sharps encapsulation or concrete pit	1	1.2	438
		✓ Deep burial pits:	3	1	365
		✓ Chemical disinfection:	3	7	2555
		Any other treatment equipment:			
(iii)	Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.)		
(iv)	No of vehicles used for collection and transportation of biomedical waste	:			
(v)	Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		Quantity generated	Where disposed	
			Incineration Ash ETP Sludge		
(vi)	Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	Medi.Ard Agency (Medi.Ard Marketing Services) IRC village Nayapalli, BMSR		
(vii)	List of member HCF not handed over bio-medical waste.		NA		
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		Yes		
7	Details trainings conducted on BMW				
	(i) Number of trainings conducted on BMW Management.		1		

	(ii) number of personnel trained	38
	(iii) number of personnel trained at the time of induction	38
	(iv) number of personnel not undergone any training so far	0
	(v) whether standard manual for training is available?	Yes
	(vi) any other Information	
8	Details of the accident occurred during the year	1
	(i) Number of Accidents occurred	1
	(ii) Number of the persons affected	1
	(iii) Remedial Action taken (Please attach details if any)	Treatment - 1 with TT & Hep B'v)
	(iv) Any Fatality occurred, details.	
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	NA
	Details of Continuous online emission monitoring systems installed	NA
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	Yes
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	Yes
12	Any other relevant information	(Air Pollution Control Devices attached with the Incinerator) NA

Certified that the above report is for the period from

1st January 2018 to
31st December 2018

Name and Signature of the Head of the Institution

Dr. Suprakash Sathpathy

Date: 25.06.2019
Place: Pzeta CHC.

FORM-V