

**Form - IV
(See rule 13)
ANNUAL REPORT**

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBMTF)]

Sl. No.	Particulars		
1	Particulars of the Occupier		
	(i) Name of the authorized person (occupier or : operator of facility)	: Medical Officer / Dr. Subhendu Sagar Kamari Nayak	
	(ii) Name of HCF or CBMTF	: CHC Patna	
	(iii) Address for Correspondence	: Patna, Kewlitalar	
	(iv) Address of Facility	: CHC Patna Kewlitalar	
	(v) Tel. No. Fax. No	: 9139987826	
	(vi) E-mail ID	: bprn12.patna@gmail.com	
	(vii) URL of Website	:	
	(viii) GPS coordinates of HCF or CBMTF	:	
	(ix) Ownership of HCF or CBMTF	: (State Government or Private or Semi Govt. or any other)	
2	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	: Authorisation No.: 5526/SFCB	
	(xi). Status of Consents under Water Act and Air Act	: Valid upto: 31.03.2023	
	Type of Health Care Facility	: NA	
	(i) Bedded Hospital	: No. of Beds: 16	
	(ii) Non-bedded hospital	: NA	
	Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	: NA	
	(iii) License number and its date of expiry	: NA	
	3	Details of CBMTF	:
		(i) Number of health care facilities covered by CBMTF	:
		(ii) No. of Beds covered by CBMTF	: Kg / day
(iii) Installed treatment and disposal capacity of CBMTF;		: Kg / day	
4	(iv) Quantity of bio medical waste treated or disposed by CBMTF	: Yellow Category: 20 kg	
	Quantity of waste generated or disposed in Kg per Annum (on monthly average basis)	: Red Category: 60 kg	
		: White: 20 kg	
		: Blue Category: 20 kg	
5	General Solid Waste	: 60 kg	
	Details of the Storage, Treatment, Transportation, Processing and Disposal Facility	: Size: 120 sq ft	

facility		Capacity: 500 kg	
		Provision of on-site storage : (Cold storage or any other provision)	
(ii) Disposal facilities		Type of treatment equipment	Quantity Treated or disposed in kg per annum
		No of Units	Capacity Kg/day
		Incinerators	
		Plasma Pyrolysis	
		✓ Autoclaves	1 0.3 110.5
		Microwave	
		Hydroclave	
		Shredder	
		✓ Needle tip cutter or destroyer	4 0.2 73
		✓ Sharps	1 1.2 438
		Encapsulation or concrete pit	
		✓ Deep burial pits	3 1 365
		✓ Chemical disinfection:	3 7 2555
Any other treatment equipment:			
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum	:	Red Category (like plastic, glass, etc.)	
(iv) No. of Vehicles used for collection and transportation of biomedical waste	:		
(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		Quantity Generated	Where disposed
		Incineration	
		Ash	
		ETP Sludge	
(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of		Bharat Security Service Af/PO. Pamkaili, Jaipur Odisha 755043	
(vii) List of member HCF not handed over bio-medical waste.		NA	
6 Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		Yes	

7	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management		1
	(ii) Number of personnel trained		53
	(iii) Number of personnel trained at the time of induction		0
	(iv) Number of personnel not undergone any training so far		Yes
	(v) Whether standard manual for training is available?		
8	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		8
	(ii) Number of persons affected		8
	(iii) Remedial Action taken (Please attach details if any)		8
	(iv) Any Fatality occurred, details		Treatm - 8 With TT & Hep B
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		NA
	Details of Continuous online emission monitoring systems installed		NA
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		Yes
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		Yes
12	Any other relevant information		(Air Pollution Control Devices attached with the Incinerator) NA

Certified that the above report is for the period from

1st January 2020 to
31st December 2020

Name and Signature of the Head of the Institution
C.H.C Patna, Keonjhar

Dr. Subhendu Sahoo Kumar Nayak

Date: 24.06.2020

Place: Patna CHC