

Form – IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1	Particulars of the Occupier	:	Medical Officer I/C
	(i) Name of the authorized person (occupier or : operator of facility)	:	Dr. Radharaman Sahoo
	(ii) Name of HCF or CBMWTF	:	CHC Patna
	(iii) Address for Correspondence	:	CHC Patna, Keonjhar
	(iv) Address of Facility	:	CHC Patna, Keonjhar 758030
	(v) Tel. No, Fax. No	:	9658653245
	(vi) E-mail ID	:	bpmu2-patna@gmail.com
	(vii) URL of Website	:	chcpatna.keonjhar.in
	(viii) GPS coordinates of HCF or CBMWTF	:	
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other)
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.:18838/IND-IV-BW-353..... Valid upto: 31.03.2028
	(xi). Status of Consents under Water Act and Air Act	:	Valid upto: NA
2	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds: <u>16</u>
	(ii) Non-bedded hospital	:	
	Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	NA
	(iii) License number and its date of expiry	:	NA
3	Details of CBMWTF	:	
	(i) Number of health care facilities covered by CBMWTF	:	
	(ii) No. of Beds covered by CBMWTF	:	
	(iii) Installed treatment and disposal capacity of CBMWTF;	:	_____ Kg / day
	(iv) Quantity of bio medical waste treated or disposed by CBMWTF	:	_____ Kg / day
4	Quantity of waste generated or disposed in Kg per Annum (on monthly average basis)	:	Yellow Category: 55 kg Red Category: 93 kg White: 1.1 kg Blue Category: 16 kg General Solid Waste: 110 kg
5	Details of the Storage, Treatment, Transportation, Processing and Disposal Facility	:	
	(i) Details of the on-site storage	:	Size: 120 sq.ft

facility		Capacity: 500 Kg Provision of on-site storage : (Cold storage or any other provision)				
(ii) Disposal facilities		Type of treatment equipment	No of Units	Capacity Kg/day	Quantity Treated or disposed in kg per annum	
		Incinerators				
		Plasma Pyrolysis				
		✓ Autoclaves	1	6.3	110.5	
		Microwave				
		Hydroclave				
		Shredder				
		✓ Needle tip cutter or destroyer	4	0.2	73	
		✓ Sharps	1	1.2	438	
		Encapsulation or concrete pit				
		✓ Deep burial pits	3	1	365	
		✓ Chemical disinfection:	3	7	2555	
		Any other treatment equipment:				
		(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum	:	Red Category (like plastic, glass, etc.) Red - 1122.4 Kg Blue - 192.1 Kg		
(iv) No. of Vehicles used for collection and transportation of biomedical waste	:	1				
(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum			Quantity Generated	Where disposed		
	Incineration					
	Ash					
		ETP Sludge				
(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of		M/s Medicaid Marketing Services 703, 7th Floor Utkal Signature Palah, BBSR 752101				
(vii) List of member HCF not handed over bio-medical waste.		NA				
6 Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		Yes				

7	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management		1
	(ii) Number of personnel trained		59
	(iii) Number of personnel trained at the time of induction		4 (New members)
	(iv) Number of personnel not undergone any training so far		0
	(v) Whether standard manual for training is available?		Yes
8	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		23
	(ii) Number of persons affected		23
	(iii) Remedial Action taken (Please attach details if any)		23 (TT & Hep B)
	(iv) Any Fatality occurred, details		
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		NA
	Details of Continuous online emission monitoring systems installed		NA
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		Yes
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		Yes
12	Any other relevant information		(Air Pollution Control Devices attached with the Incinerator) NA


Certified that the above report is for the period from

..... 1st January 2023 to

..... 31st December 2023

.....

.....


 Name and Signature of the Head of the Institution
 Medical Officer I/C
 C.H.C Patna, Koonjhar

Date: 17.01.2024
 Place: Patna CHC